Type	۲ #	Hits	Search Text	DBs	Time Stamp	Comments Error	Error Definition
0 BRS	L10	719	(container or applicator) USPAT 2001/08/25 with telescopic 17:03	USPAT	2001/08/25 17:03		

	Ϥ	4	Dog	Document	t ID		Issue Date	e Da	-	Pages	Title	Current OR
1		Ø	os 6	6056164	54 A	2	20000502	502	~	8	Container for stencil inks	222/327
N		☒	US 6	6005159	59 A	<u> </u>	19991221	221		11	Protective covering for body lesions	602/42
ω		☒	US 5	5992705)5 A		19991130	130		7	Device for the translational driving of a piston for the distribution of	222/386
`]	:	i	, L J C O	1		0000	010		7		3 T.
4		☒	US 5	5936765	55 A	<u>.</u>	19990810	810		7	Can telescope	359/399
ഗ		⊠ ·	US 4	4653675	75 A		19870331	331		7	Hand-held motor-driven extruding device for dispensing a plastic	222/390
6		☒	US 4	4624382	32 A	<u>.</u>	19861125	125		ហ	Multi-purpose container which may be reduced in height	220/8
7		⋈	US 4	4602728	28 A		19860729	729		6	Container	222/528
8		Ø	US 4	4211404	04 A	<u></u>	19800708	708		4	Telescoping physical exercising device	482/128

8	7	6	ъ	4	ω	2	1	
	222/530	220/751 ; 220/770 ; 220/773	222/333	359/406 ; 359/413	222/405; 401/176	128/888 ; 602/54	222/386	Current XRef
								Retrieval Classif
Blowsky, Frank C.	Ha, Sung M.	Tontarelli, Sergio	Ratzky, Reiner	Walsh, Daniel M.	Lhuisset, Fran.cedilla.ois	Spier, I. Martin	Wakayama, Takahiro	Inventor
Ø	⊠	⊠	⊠	☒	×	⊠	Ø	S
								С
								ק
								2
								ω

	Type	۲ #	Hits	Search Text	DBs	Time Stamp	Comments	tamp Comments Error Definition
Ľ	BRS	L1	158945	(pneumatic or air) with (cylinder or piston)	USPAT; US-PGP UB; EPO; JPO	2002/03/14 11:28		
7)	BRS	L2	182	1 same (piston with telescopic)	USPAT; US-PGP UB; EPO; JPO	2002/0		

	G	4	U Document ID	Issue Date Pages	Pages	Title	Current OR
1		⊠	🛛 US 5191828 A	19930309	7	Telescopic cylinder with increased lateral loading capacity	92/165R
2		☒	⊠ US 3871678 A	19750318	7		267/64.16
ω		\boxtimes	<u> </u>	19991102	4	TELESCOPIC BLOCKING GATE BAR	NG GATE BAR
4		\boxtimes		19980423	15	R ASSEMBLY	

	Current XRef	Retrieval Classif	Inventor	ß	C	ש	N	ω	Image Doc. Displayed	PT
Ъ	92/109; 92/51;		McCreery, Robert B.	☒					US 5191828	
2			Taft, Philip Augustus et al.	☒					☐ US 3871678	
ω	•	•	KUROIWA, AKIYOSHI	\boxtimes					JP 11301484 A	
4			RASMUSSEN, PETER	\boxtimes					WO 9816748 A1	

	Туре	L #	Hits	Search Text	DBs	Time Stamp	Comments	Stamp Comments Error Definition
ω	BRS	18	1804	compression and (air or pneumatic) and telescopic	USPAT 2001/ 16:40	2001/08/25 16:40		08/25
9	BRS	L9 ·	6 E		USPAT	2001/08/25 16:41		

	n	1	Document ID	Issue Date	Pages	Title	Current OR
1			US 5555673 A	19960917	16	Method and apparatus for applying liquid	47/1.5
2			US 4566386 A	19860128	14	Hot ink imprinter with swinging print head	101/305
3			US 4130386 A	19781219	13	Device for preforming and holding a wrapper in a forming mould	425/383
4			US 3648316 A	19720314	12	SURFACE-TREATING APPARATUS	15/53.2
Ŋ			US 3628534 A	19711221	И	CATAMENIAL TAMPON AND METHOD	604/366
6			US 3601448 A	19710824	9	METHOD FOR FRACTURING CONCRETE AND OTHER MATERIALS WITH MICROWAVE ENERGY	299/14

entor le H. larles F. Jean-Claude		□□□□		
		Δ	<u> </u>	

Type 1	L #	Hits	Search Text	DBs	Time Stamp	Stamp Comments	Error Definition
6 BRS L6		2887	a61h023/00.ipc.	USPAT; EPO; JPO; Derwen t	USPAT; EPO; JPO; Derwen 16:32		
7 BRS L7		142	6 and compress\$	USPAT; EPO; JPO; Derwen t	USPAT; EPO; JPO; 2001/08/25 Derwen 16:33 t		Truncation Overflow. Return string from Server is: 5`0`0`COM